

Helaian Data Keselamatan

Safety data sheet

Mukasurat (Page): 1/29

BASF Helaian Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 19.04.2023

Produk (Product): **Cabrio® Duo**

Versi (Version): 6.0

(30661244/SDS_CPA_MY/MS)

Tarikh cetakan (Date of print): 13.10.2023

1. Pengenalan bahan kimia dan pembekal

Cabrio® Duo

Kegunaan: produk pelindung tanaman, fungisid

Syarikat:

BASF (Malaysia) Sdn Bhd
Lot 19.02 Level 19, 1 Powerhouse
No 1 Persiaran Bandar Utama
47800 Petaling Jaya
Selangor D.E, MALAYSIA
Nombor Telefon: +60 3 7612 1888
Nombor Telefax: +60 3 7612 1777

Maklumat kecemasan:

Nombor Kecemasan Kebangsaan
+603 7612 1999
Nombor Kecemasan Antarabangsa:
Nombor Telefon: +49 180 2273-112

2. Pengenalan Bahaya

Pengelasan bahan dan campuran:

Toks. Akut 4 (oral)
Kks./Kreng. Kulit 2
STOT RE (Otot skeletal) 2
Akuatik Akut 1
Akuatik Kronik 1

Bagi pengelasan yang tidak ditulis dengan penuh dalam bahagian ini, teks lengkap boleh didapati di bahagian 16.

Unsur label dan pernyataan berjaga-jaga:

Piktogram:



Kata Isyarat:

Amaran

Pernyataan Bahaya:

H315	Menyebabkan kerengsaan kulit.
H302	Memudaratkan jika tertelan.
H373	Boleh menyebabkan kerosakan pada organ (Otot skeletal) melalui pendedahan secara berpanjangan atau berulang.
H400	Sangat toksik kepada hidupan akuatik.
H410	Sangat toksik kepada hidupan akuatik dengan kesan yang berpanjangan.
EUH401	Untuk mengelakkan risiko kepada kesihatan manusia dan alam sekitar, patuhi arahan semasa menggunakan bahan.

Pernyataan berjaga-jaga:

P101	Jika nasihat perubatan diperlukan, dapatkan bekas atau label produk.
P102	Jauhkan daripada kanak-kanak.
P103	Baca label sebelum menggunakan produk.

Pernyataan Berjaga-jaga (Pencegahan):

P280	Pakai sarung tangan perlindungan.
P260	Jangan sedut habuk.
P270	Jangan makan, minum atau merokok semasa menggunakan produk ini. Basuh bahagian badan yang tercemar sebersih-bersihnya selepas pengendalian.

Pernyataan Berjaga-jaga (Tindak Balas):

P314	Dapatkan nasihat/rawatan perubatan jika anda berasa tidak sihat.
P301 + P312	JIKA TERTELAN: Hubungi PUSAT RACUN atau doktor/pakar perubatan jika anda rasa tidak sihat.
	JIKA TERKENA KULIT: Basuh dengan sabun dan air yang banyak.
P330	Bilas mulut.
P391	Pungut tumpahan.
P332 + P313	Jika berlaku kerengsaan kulit: Dapatkan nasihat/rawatan perubatan.
P362 + P364	Tanggalkan pakaian yang tercemar dan basuh sebelum menggunakannya semula.

Pernyataan Berjaga-jaga (Pelupusan):

P501	Buangkan kandungan dan bekas ke tempat pengumpulan bahan sisa merbahaya atau khas.
------	--

Bahaya lain yang tidak menyebabkan pengelasan:

Lihat seksyen 12 - Keputusan PBT dan Penilaian vPvB

BASF Helaian Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 19.04.2023

Produk (Product): **Cabrio® Duo**

Versi (Version): 6.0

(30661244/SDS_CPA_MY/MS)

Tarikh cetakan (Date of print): 13.10.2023

Jika berkenaan, maklumat yang diberikan dalam bahagian ini tentang bahaya lain tidak menyebabkan pengelasan tetapi mungkin menyumbang kepada bahaya bahan atau campuran secara keseluruhan.

Produk tidak mengandungi bahan melebihi had undang-undang yang termasuk di dalam senarai yang disediakan mengikut Artikel 59(1) Peraturan (EC) No. 1907/2006 kerana mengandungi ciri-ciri gangguan endokrin atau telah dikenalpasti untuk mengandungi ciri-ciri gangguan endokrin mengikut kriteria yang ditetapkan dalam Peraturan Wakilan Suruhanjaya (EU) 2017/2100 atau Peraturan Suruhanjaya (EU) 2018/605.

Boleh menyebabkan tindakbalas alahan : Mengandungi metiram

3. Komposisi dan Maklumat Mengenai Ramuan Bahan Kimia

Kedaaan kimia

produk pelindung tanaman, fungisid, butiran tersebar air

Ramuan berbahaya

Metiram

Kandungan (berat/berat): 55 %
Nombor CAS: 9006-42-2

Pem. Kulit 1
STOT RE (Otot skeletal) 2
Akuatik Akut 1
Akuatik Kronik 1

Carbamic acid, [2-[[[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxy]methyl]phenyl]methoxy-, methyl ester

Kandungan (berat/berat): 5 %
Nombor CAS: 175013-18-0

Toks. Akut 3 (Penyedutan - kabus)
Kks./Kreng. Kulit 2
STOT SE 3 (irr. to respiratory syst.)
Akuatik Akut 1
Akuatik Kronik 1
Faktor-M akut: 100
Faktor-M kronik: 100

Natrium diisobutilnaftalenasulfonat

Kandungan (berat/berat): < 5 %
Nombor CAS: 27213-90-7

Toks. Akut 4 (Penyedutan - habuk)
Toks. Akut 4 (oral)
Kros./Kreng. Mata 1
STOT SE 3 (irr. to respiratory syst.)
Akuatik Kronik 3

Gel silika, termendak, bebas hablur

Kandungan (berat/berat): < 10 %
Nombor CAS: 112926-00-8

Natrium sulfat

Kandungan (berat/berat): < 5 %
Nombor CAS: 7757-82-6

Bagi pengelasan yang tidak ditulis dengan penuh dalam bahagian ini, teks lengkap boleh didapati di bahagian 16.

4. Langkah-Langkah Pertolongan Cemas

Nasihat am:

Tanggalkan pakaian yang tercemar.

Jika tersedut:

Tenangkan pesakit, alihkan ke tempat berudara bersih, dapatkan rawatan perubatan.

Apabila terkena kulit:

Basuh bersih-bersih dengan sabun dan air.

Apabila terkena mata:

basuh mata yang terkena bahan selama sekurang-kurangnya 15 minit dibawah air yang mengalir dengan kelopak mata dibuka, rujuk kepada pakar mata.

Apabila tertelan:

Segera berkumur, kemudian minum 200-300 ml air, dapatkan rawatan perubatan.

Nota kepada doktor:

Gejala: Maklumat, iaitu maklumat tambahan mengenai simptom dan kesan boleh termasuk di dalam fasa palabelan GHS yang tersedia ada dalam Seksyen 2 dan di dalam penaksiran Toksikologi yang tersedia ada dalam Seksyen 11., Simptom dan/atau kesan tidak diketahui setakat ini

Nota kepada doktor:

Rawatan: Rawat mengikut gejala (nyahcemar, fungsi utama), tiada penawar khusus diketahui.

5. Langkah-Langkah Pemadaman Kebakaran

Bahan pemadam yang sesuai:

serbuk kering, busa, semburan air

Alat memadam yang tidak sesuai untuk tujuan keselamatan:

karbon dioksida

Bahaya tertentu:

karbon monoksida, karbon dioksida, hidrogen klorida, nitrogen oksida, sulfur oksida, sebatian halogen, sebatian logam, Bahan silika

Bahan/kumpulan bahan yang dinyatakan boleh dibebaskan jika berlaku kebakaran.

Peralatan perlindungan khusus:

Gunakan alat pernafasan serba lengkap dan pakaian pelindung kimia.

Maklumat lanjut:

Kumpul air pemadam api yang tercemar secara berasingan, jangan biarkan ia mengalir ke dalam sistem pembetung atau efluen. Lupuskan sisa kebakaran dan air pemadam api yang tercemar menurut peraturan rasmi. Dalam hal kebakaran dan/atau letupan jangan menyedut wasap. Pastikan bekas sejuk dengan menyembur air pada bekas jika terdedah kepada kebakaran.

6. Langkah-Langkah Pelepasan Tidak Sengaja

Perlindungan diri, kelengkapan pelindung dan tatacara kecemasan:

Elakkan pembentukan debu. Gunakan pakaian pelindung diri. Elakkan dari bersentuhan dengan kulit, mata dan pakaian.

Langkah berjaga-jaga untuk alam sekitar:

Jangan lepaskan ke dalam parit/air permukaan/air tanah. Jangan lepaskan ke dalam subtanah/tanah.

Kaedah pembersihan atau penyerapan:

Bagi sejumlah kecil: Bendung dengan bahan pengikat debu dan lupuskan.

Bagi sejumlah besar: Sapu/sodok.

Elakkan pertambahan debu. Lupuskan bahan yang diserap mengikut peraturan. Kumpul sisa ke dalam bekas yang sesuai, yang boleh dilabel dan ditutup ketat. Basuh bersih-bersih lantai dan objek yang tercemar dengan air dan bahan pencuci, patuhi peraturan alam sekitar.

7. Pengendalian dan Penyimpanan

Pengendalian

Tiada langkah khusus diperlukan dengan syarat produk disimpan dan digunakan dengan betul.

Pastikan pengalihudaraan menyeluruh di kawasan simpanan dan di tempat kerja. Jangan makan, minum atau merokok apabila menggunakannya. Tangan dan/atau muka hendaklah dibasuh sebelum rehat dan setelah tamat waktu bekerja.

Perlindungan terhadap kebakaran dan letupan:

Elakkan pembentukan debu. Debu boleh membentuk campuran mudah meletup di udara. Elakkan cas elektrostatik - jauhkan dari sumber pencucuhan - pemadam api hendaklah mudah digunakan.

Penyimpanan

Asingkan daripada makanan dan makanan haiwan.

Maklumat lanjut tentang keadaan penyimpanan: Jauhkan daripada panas. Lindungi daripada lembapan. Lindungi daripada pancaran terus cahaya matahari.

Kestabilan penyimpanan:

Tempoh penyimpanan: 24 bulan

Lindungi daripada suhu melebihi : 30 °C

Perubahan ciri produk boleh berlaku jika bahan/produk disimpan melebihi suhu yang dinyatakan bagi tempoh yang panjang.

8. Kawalan pendedahan dan perlindungan diri

Komponen dengan parameter kawalan tempat kerja

Gel silika, termendak, bebas hablur, 112926-00-8;

BASF Helaian Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 19.04.2023

Versi (Version): 6.0

Produk (Product): **Cabrio® Duo**

(30661244/SDS_CPA_MY/MS)

Tarikh cetakan (Date of print): 13.10.2023

Nilai TWA 10 mg/m³ (OEL (Peraturan USECHH Malaysia))Nilai TWA 3 mg/m³ (ACGIHTLV), Zarah boleh sedutNilai TWA 10 mg/m³ (ACGIHTLV), Zarah boleh disedut (inhalable)

Peralatan perlindungan peribadi

Perlindungan pernafasan:

Perlindungan pernafasan yang sesuai bagi kepekatan yang rendah atau kesan jangka pendek:
Penapis zarah kecekapan tinggi bagi zarah pepejal dan cecair (contohnya EN 143 atau 149, Jenis P3 atau FFP3).

Perlindungan tangan:

Sarung tangan kalis kimia yang sesuai (EN ISO 374-1) jika terkena secara langsung yang berpanjangan (Disyorkan: Indeks pelindung 6, sama dengan masa penelapan > 480 minit mengikut EN ISO 374-1): Misalnya getah nitril (0.4 mm), getah kloroprena (0.5 mm), polivinilklorida (0.7 mm) dan lainnya.

Perlindungan mata:

Kaca mata keselamatan dengan pelindung sisi (gogal berbingkai) (contohnya EN 166)

Perlindungan badan:

Perlindungan badan mesti dipilih bergantung kepada aktiviti dan pendedahan, contohnya apron, kasut perlindungan, pakaian perlindungan bahan kimia (Berdasarkan DIN-EN 465)

Langkah kebersihan dan keselamatan am:

Penyataan tentang kelengkapan pelindung diri dalam arahan penggunaan terpakai untuk penggunaan agen pelindung pertanian bagi pembungkusan terakhir. Disyorkan memakai pakaian kerja yang tertutup. Simpan pakaian kerja secara berasingan. Jauhkan daripada makanan, minuman dan barang makanan haiwan.

9. Sifat Fizikal dan Kimia

Bentuk:	pepejal
Warna:	perang
Bau:	wangi
Ambang bau:	Tidak ditentukan disebabkan oleh bahaya kesihatan yang mungkin melalui penyedutan.
nilai pH:	dianggarkan 5 - 7 (Air D Piawai CIPAC., 1 %(m), 20 °C) (sebagai ampai)
bermulanya peleburan:	> 120 °C
takat didih:	Produk belum diuji.
Takat kilat:	Tidak boleh digunakan
Tahap penyejatan:	Tidak boleh digunakan

BASF Helaian Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 19.04.2023

Versi (Version): 6.0

Produk (Product): **Cabrio® Duo**

(30661244/SDS_CPA_MY/MS)

Tarikh cetakan (Date of print): 13.10.2023

Kemudahbakaran (pepejal/gas):	tidak sangat mudah terbakar	(Arahan 92/69/EEC, A.10)
Had letupan bawah:	<p>Hasil pengalaman kami dengan produk ini dan pengetahuan kami mengenai komposisinya kami menjangka tidak terdapat bahaya selagi produk ini digunakan dengan cara yang sesuai dan menurut penggunaan yang dicadangkan.</p>	
Had letupan atas:	<p>Hasil pengalaman kami dengan produk ini dan pengetahuan kami mengenai komposisinya kami menjangka tidak terdapat bahaya selagi produk ini digunakan dengan cara yang sesuai dan menurut penggunaan yang dicadangkan.</p>	
Penguraian terma:	150 °C , 150 kJ/kg	(DDK (OECD 113))
pencucuhan sendiri:	<p>Bahan tidak boleh mengurai sendiri menurut peraturan-peraturan pengangkutan UN, kelas 4.1</p> <p>Suhu: dianggarkan 199 °C</p>	(Kaedah: Arahan 92/69/EEC, A.16)
Kebolehan swapemanasan sendiri:	<p>Bahan ini tidak menjadi panas secara spontan menurut peraturan pengangkutan UN kelas 4.2.</p>	
Bahaya letupan:	tidak mudah meletup	(Arahan 92/69/EEC, A.14)
Sifat yang menggalakkan kebakaran:	tidak merebakkan api	(Arahan 92/69/EEC, A.17)
Tekanan Wap:	Tidak boleh digunakan	
Kepekatan:	dianggarkan 1.67 g/cm ³ (20 °C)	(Arahan 92/69/EEC, A.3)
Ketumpatan wap relatif (udara):	Tidak boleh digunakan	
Keterlarutan dalam air:	mudah terserak	
Pekali petakan n-oktanol/air (log Pow):	Tidak boleh digunakan	
Maklumat tentang : Metiram		
Pekali petakan n-oktanol/air (log Pow):	0.33	
	(nilai pH: 7)	
	1.9	
	(nilai pH: 5)	
	-0.37	
	(nilai pH: 9)	

BASF Helaian Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 19.04.2023

Produk (Product): **Cabrio® Duo**

Versi (Version): 6.0

(30661244/SDS_CPA_MY/MS)

Tarikh cetakan (Date of print): 13.10.2023

Kelikatan, dinamik:

tidak boleh digunakan, produk adalah pepejal

10. Kestabilan dan Kereaktifan

Keadaan yang perlu dielakkan:

Lihat MSDS bahagian 7 - Pengendalian dan Penyimpanan.

Penguraian terma: 150 °C, 150 kJ/kg (DDK (OECD 113))

Penguraian terma: Bahan tidak boleh mengurai sendiri menurut peraturan-peraturan pengangkutan UN, kelas 4.1

Bahan yang perlu dielakkan:

asid kuat, bes kuat, agen pengoksida yang kuat

Tindak balas berbahaya:

Tiada produk penguraian yang berbahaya jika disimpan dan dikendalikan seperti yang ditetapkan/dinyatakan.

Bahan penguraian berbahaya:

Tiada produk penguraian yang berbahaya jika disimpan dan dikendalikan seperti yang ditetapkan/dinyatakan.

Kereaktifan:

Tiada produk penguraian yang berbahaya jika disimpan dan dikendalikan seperti yang ditetapkan/dinyatakan.

Kestabilan kimia:

Produk adalah stabil jika disimpan dan dikendalikan sebagaimana

11. Maklumat Toksikologi

Ketoksikan akut

Penilaian ketoksikan akut:

Ketoksikan sederhana selepas kali pertama tertelan. Tidak toksik selepas sekali terkena kulit Tidak toksik jika tersedut.

Data eksperimen/dikira:

LD50 tikus (melalui mulut): > 500 - < 2,000 mg/kg (Garis panduan OECD 423)

LC50 tikus (melalui penyedutan): > 5.6 mg/l 4 h (Garis panduan OECD 403)

Telah diuji sebagai habuk aerosol.

LD50 tikus (dermal): > 2,000 mg/kg (Garis panduan OECD 402)

Tiada kematian diperhatikan

Kerengsaan

BASF Helaian Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 19.04.2023

Produk (Product): **Cabrio® Duo**

Versi (Version): 6.0

(30661244/SDS_CPA_MY/MS)

Tarikh cetakan (Date of print): 13.10.2023

Penilaian kesan merengsa:

Terkena kulit boleh menyebabkan kerengsaan. Tidak merengsakan mata.

Data eksperimen/dikira:

Kakistan/Kerengsaan kulit arnab: Merengsa (Garis panduan OECD 404)

Kerosakkan/kerengsaan mata yang serius arnab: tidak merengsa (Garis panduan OECD 405)

Pemekaan pernafasan/kulit

Penilaian pemekaan:

Tidak terdapat bukti pemekaan kulit yang berpotensi.

Data eksperimen/dikira:

ujian Buehler terubah suai marmut: Tidak memeka (Garis panduan OECD 406)

Kemutagenan sel germa

Penilaian kemutagenan:

Produk belum diuji. Penyataan diambil daripada ciri setiap komponen. Ujian kemutagenan membuktikan tiada potensi genotoksik .

Kekarsinogenan

Penilaian kekarsinogenan:

Produk belum diuji. Penyataan diambil daripada ciri setiap komponen. Keputusan pelbagai ujian haiwan tidak menunjukkan kesan karsonogen.

Ketoksikan pembiakan

Penilaian ketoksikan pembiakan:

Produk belum diuji. Penyataan diambil daripada ciri setiap komponen. Keputusan kajian haiwan tidak menunjukkan kesan gangguan kesuburan.

Ketoksikan perkembangan

Penilaian keteratogenan:

Produk belum diuji. Penyataan diambil daripada ciri setiap komponen. Kajian haiwan tidak menunjukkan kesan yang menjejaskan kesuburan pada dos yang tidak toksik kepada haiwan induk.

Ketoksikan khusus organ sasaran (sekali pendedahan):

Penilaian sekali STOT:

Berdasarkan maklumat yang ada, ketoksikan organ sasaran yang khusus adalah tidak dijangka selepas sekali pendedahan.

Catatan: Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Ketoksikan dos berulang dan Ketoksikan organ sasaran tertentu (pendedahan berulang)

Penilaian ketoksikan dos berulang:

Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Maklumat tentang : metiram

Penilaian ketoksikan dos berulang:

Pendedahan berulang-ulang melalui mulut mungkin memberi kesan kepada organ tertentu.

Maklumat tentang : Carbamic acid, [2-[[[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxy]methyl]phenyl]methoxy-, methyl ester

Penilaian ketoksikan dos berulang:

Selepas pemberian yang berulang, kesan yang nyata ialah kerengsaan Bahan mungkin menyebabkan kerosakkan pada epitelium olfaktori selepas penyedutan yang berulang-ulang.

Maklumat tentang : Gel silika, termendak, bebas hablur

Penilaian ketoksikan dos berulang:

Bahan boleh menyebabkan kerosakkan paru-paru selepas penyedutan dos yang tinggi secara berulang-ulang.

Bahaya penyedutan

Tiada bahaya penyedutan dijangka.

Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Maklumat lain yang berkaitan dengan ketoksikan

Penyalahgunaan boleh memudaratkan kesihatan.

12. Maklumat Ekologi

Keekotoksikan

Penilaian ketoksikan akuatik:

Sangat toksik kepada hidupan akuatik dengan kesan yang berpanjangan.

Ketoksikan kepada ikan:

LC50 (96 h) 0.149 mg/l, *Oncorhynchus mykiss* (Garis panduan OECD 203, statik)

Invertebrat air:

EC50 (48 h) 0.18 mg/l, *Daphnia* sp.

Tumbuhan akuatik:

EC50 (72 h) 0.25 mg/l (kadar pertumbuhan), *Pseudokirchneriella subcapitata* (Garis panduan OECD 201, statik)

EC10 (72 h) 0.08 mg/l (kadar pertumbuhan), *Pseudokirchneriella subcapitata* (statik)

Mobiliti

Penilaian pengangkutan di antara bahagian di persekitaran:

Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Maklumat tentang : Metiram

Penilaian pengangkutan di antara bahagian di persekitaran:

Diikuti dengan pendedahan kepada tanah, penyerapan ke atas zarah tanah

BASF Helaian Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 19.04.2023

Produk (Product): **Cabrio® Duo**

Versi (Version): 6.0

(30661244/SDS_CPA_MY/MS)

Tarikh cetakan (Date of print): 13.10.2023

Maklumat tentang : Carbamic acid, [2-[[[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxy]methyl]phenyl]methoxy-, methyl ester

Penilaian pengangkutan di antara bahagian di persekitaran:

Diikuti dengan pendedahan kepada tanah, penjerapan ke atas zarah tanah

Keterangan dan boleh keterdegradasikan

Penilaian biodegradasi dan penyingkiran (H₂O):

Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Maklumat tentang : Metiram

Penilaian biodegradasi dan penyingkiran (H₂O):

Menurut kriteria OECD produk tidak mudah terbiodegradasikan tetapi terbiodegradasi secara semula jadi.

Maklumat tentang : Carbamic acid, [2-[[[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxy]methyl]phenyl]methoxy-, methyl ester

Penilaian biodegradasi dan penyingkiran (H₂O):

Tidak mudah terbiodegradasikan (oleh kriteria OECD).

Potensi Biotumpukan

Penilaian potensi bioakumulasi:

Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Maklumat tentang : Metiram

Potensi Biotumpukan:

Oleh sebab pekali agihan n-oktanol/air (log Pow), tidak dijangka terakumulasi dalam organisma.

Maklumat tentang : Carbamic acid, [2-[[[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxy]methyl]phenyl]methoxy-, methyl ester

Potensi Biotumpukan:

Faktor Kebiopekatan: 379 - 507, *Oncorhynchus mykiss* ()

Tidak dijangka terakumulasi dalam organisma.

Maklumat tambahan

Nasihat ekotoksikologi lain:

Jangan lepaskan produk ke persekitaran tanpa kawalan.

13. Maklumat Pelupusan

Mesti dihantar ke loji pembakaran yang sesuai, mematuhi peraturan

Pembungkusan tercemar:

Bungkusan yang tercemar hendaklah dikosongkan sejauh yang boleh dan dilupuskan dengan cara yang sama melupuskan bahan/produk.

BASF Helaian Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 19.04.2023

Produk (Product): **Cabrio® Duo**

Versi (Version): 6.0

(30661244/SDS_CPA_MY/MS)

Tarikh cetakan (Date of print): 13.10.2023

14. Maklumat Pengangkutan

Pengangkutan domestik:

Kelas bahaya: 9
 Kumpulan pembungkusan: III
 Nombor-ID: UN 3077
 Label Bahaya: 9, EHSM
 Nama penghantaran yang betul: BAHAN YANG MEMBAHAYAKAN ALAM SEKITAR, PEPEJAL, N.O.S. (mengandungi METIRAM, PYRACLOSTROBIN)

Maklumat lanjut

Kod Hazchem:2Z

Nombor IERG:47

Pengangkutan laut

IMDG

Kelas bahaya: 9
 Kumpulan pembungkusan: III
 Nombor-ID: UN 3077
 Label Bahaya: 9, EHSM
 Bahan pencemar laut: YA
 Nama penghantaran yang betul: BAHAN YANG MEMBAHAYAKAN ALAM SEKITAR, PEPEJAL, N.O.S. (mengandungi METIRAM, PYRACLOSTROBIN)

Pengangkutan udara

IATA/ICAO

Kelas bahaya: 9
 Kumpulan pembungkusan: III
 Nombor-ID: UN 3077
 Label Bahaya: 9, EHSM
 Nama penghantaran yang betul: BAHAN YANG MEMBAHAYAKAN ALAM SEKITAR, PEPEJAL, N.O.S. (mengandungi METIRAM, PYRACLOSTROBIN)

Pengangkutan secara pukal menurut Lampiran II MARPOL dan IBC

Peraturan: Tidak dinilai
 Penghantaran yang diluluskan: Tidak dinilai
 Nama pencemaran: Tidak dinilai
 Kategori pencemaran: Tidak dinilai
 Jenis Kapal: Tidak dinilai

Maklumat lanjut

Peraturan berikut boleh digunakan pada produk dalam bungkusan yang mengandungi kuantiti 5kg atau lebih kurang
 ADR, RID, AND: Peraturan Khas 375; JT/T617.3;
 IMDG: 2.10.2.7; IATA: A197; TDG:
 Peraturan Khas 99(2); 49CFR: §171.4 (c) (2).

15. Maklumat Pengawalseliaan

Peraturan-Peraturan Keselamatan dan Kesihatan Pekerjaan (Pengelasan, Pelabelan dan Helaian Data Keselamatan Bahan kimia Berbahaya) 2013

Akta OSHA 1994 dan peraturan berkaitan

Akta Kualiti Alam Sekeliling 1974

Maklumat tentang peraturan-peraturan tidak meliputi kesemuanya. Peraturan-peraturan lain mungkin dikenakan kepada bahan ini.

Peraturan lain

Untuk mengelakkan risiko kepada manusia dan persekitaran, patuhi arahan penggunaan.

16. Maklumat lain

Tarikh Penyediaan / Tarikh Penyemakan: 19.04.2023

Sumber Maklumat dan Rujukan :

SDS ini disediakan dengan menggunakan data dan maklumat tersimpan di dalam sistem berasaskan IT dalaman kami dan dibekalkan oleh pembekal perkhidmatan syarikat kami.

Singkatan Petunjuk:

ATE - Anggaran Ketoksikan Akut

GHS - Sistem Terharmoni Global

IATA / ICAO - Persatuan Pengangkutan Udara Antarabangsa / Organisasi Penerbangan Awam Antarabangsa

IBC - Kontena Pukul Pertengahan

IMDG - Barangan Merbahaya Kelautan Antarabangsa

LC - Kepekatan Maut

LD - Dos Maut

OECD - Organisasi Untuk Kerjasama dan Pembangunan Ekonomi

OEL - Had Pendedahan Pekerjaan

OSHA - Akta Keselamatan dan Kesihatan Pekerjaan

STOT - Ketoksikan Organ Sasaran Khusus

Teks penuh pengelasan, simbol bahaya dan pernyataan bahaya, jika dinyatakan dalam seksyen 2 atau 3:

Bhn. Ltp. T. Stab.

Bahan letup tidak stabil

Bhn. Ltp. 1.1

Bahan letup divisyen 1.1

Bhn. Ltp. 1.2

Bahan letup divisyen 1.2

Bhn. Ltp. 1.3

Bahan letup divisyen 1.3

Bhn. Ltp. 1.4

Bahan letup divisyen 1.4

Bhn. Ltp. 1.5

Bahan letup divisyen 1.5

Bhn. Ltp. 1.6

Bahan letup divisyen 1.6

Gas M. Bkr 1

Gas mudah terbakar kategori 1

Gas M. Bkr 2

Gas mudah terbakar kategori 2

Aerosol M. Bkr1

Aerosol mudah terbakar kategori 1

Aerosol M. Bkr 2

Aerosol mudah terbakar kategori 2

Cec. M. Bkr 1

Cecair mudah terbakar kategori 1

Cec. M. Bkr 2	Cecair mudah terbakar kategori 2
Cec. M. Bkr 3	Cecair mudah terbakar kategori 3
Pep. M. Bkr 1	Pepejal mudah terbakar kategori 1
Pep. M. Bkr 2	Pepejal mudah terbakar kategori 2
Gas Oks. 1	Gas mengoksida kategori 1
Cec. Oks. 1	Cecair mengoksida kategori 1
Cec. Oks. 2	Cecair mengoksida kategori 2
Cec. Oks. 3	Cecair mengoksida kategori 3
Pep. Oks. 1	Pepejal mengoksida kategori 1
Pep. Oks. 2	Pepejal mengoksida kategori 2
Pep. Oks. 3	Pepejal mengoksida kategori 3
Gas Tkn.	Gas di bawah tekanan
Swareak. A	Bahan kimia swareaktif jenis A
Swareak. B	Bahan kimia swareaktif jenis B
Swareak. CD	Bahan kimia swareaktif jenis C dan D
Swareak. EF	Bahan kimia swareaktif jenis E dan F
Swareak. G	Bahan kimia swareaktif jenis G
Cec. Pir. 1	Cecair piroforik kategori 1
Pep. Pir. 1	Pepejal piroforik kategori 1
Swapanas. 1	Bahan kimia swapanasan kategori 1
Swapanas. 2	Bahan kimia swapanasan kategori 2
Tdk. Bls. Air 1	Bahan kimia yang, jika terkena air, membebaskan gas mudah terbakar kategori 1
Tdk. Bls. Air 2	Bahan kimia yang, jika terkena air, membebaskan gas mudah terbakar kategori 2
Tdk. Bls. Air 3	Bahan kimia yang, jika terkena air, membebaskan gas mudah terbakar kategori 3
Peroks. Org. A	Peroksida organik jenis A
Peroks. Org. B	Peroksida organik jenis B
Peroks. Org. CD	Peroksida organik jenis C and D
Peroks. Org. EF	Peroksida organik jenis E and F
Peroks. Org. G	Peroksida organik jenis G
Kakis. Log. 1	Mengakis logam kategori 1
Toks. Akut 1	Ketoksikan akut kategori 1
Toks. Akut 2	Ketoksikan akut kategori 2
Toks. Akut 3	Ketoksikan akut kategori 3
Toks. Akut 4	Ketoksikan akut kategori 4
Kks. Kulit 1A	Kakisan atau kerengsaan kulit kategori 1A
Kks. Kulit 1B	Kakisan atau kerengsaan kulit kategori 1B
Kks. Kulit 1C	Kakisan atau kerengsaan kulit kategori 1C
Kreng. Kulit 2	Kakisan atau kerengsaan kulit kategori 2
Kros. Mata 1	Kerosakan mata atau kerengsaan mata yang serius kategori 1
Kreng. Mata 2	Kerosakan mata atau kerengsaan mata yang serius kategori 2
Pem. Naf. 1	Pemekaan pernafasan kategori 1
Pem. Kulit 1	Pemekaan kulit kategori 1
Muta. 1A	Kemutagenan sel germa kategori 1A
Muta. 1B	Kemutagenan sel germa kategori 1B
Muta. 2	Kemutagenan sel germa kategori 2
Kars. 1A	Kekarsinogenan kategori 1A
Kars. 1B	Kekarsinogenan kategori 1B
Kars. 2	Kekarsinogenan kategori 2
Pemb. 1A	Ketoksikan pembiakan kategori 1A
Pemb. 1B	Ketoksikan pembiakan kategori 1B
Pemb. 2	Ketoksikan pembiakan kategori 2

BASF Helaian Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 19.04.2023

Versi (Version): 6.0

Produk (Product): **Cabrio® Duo**

(30661244/SDS_CPA_MY/MS)

Tarikh cetakan (Date of print): 13.10.2023

Laktasi	Kesan ke atas atau melalui penyusuan
STOT SE 1	Ketoksikan organ sasaran khusus - pendedahan tunggal kategori 1
STOT SE 2	Ketoksikan organ sasaran khusus - pendedahan tunggal kategori 2
STOT SE 3	Ketoksikan organ sasaran khusus - pendedahan tunggal kategori 3
STOT RE 1	Ketoksikan organ sasaran khusus - pendedahan berulang kategori 1
STOT RE 2	Ketoksikan organ sasaran khusus - pendedahan berulang kategori 2
Bhy. Asp.	Bahaya aspirasi kategori 1
Akuatik Akut 1	Berbahaya kepada persekitaran akuatik – bahaya akut kategori 1
Akuatik Kronik 1	Berbahaya kepada persekitaran akuatik – bahaya kronik kategori 1
Akuatik Kronik 2	Berbahaya kepada persekitaran akuatik – bahaya kronik kategori 2
Akuatik Kronik 3	Berbahaya kepada persekitaran akuatik – bahaya kronik kategori 3
Akuatik Kronik 4	Berbahaya kepada persekitaran akuatik – bahaya kronik kategori 4
Ozon	Berbahaya bagi lapisan ozon kategori 1

Garis menegak pada margin sebelah kiri tangan menunjukkan pindaan dari versi sebelumnya.

Data yang terdapat dalam risalah data keselamatan ini adalah berdasarkan pengetahuan dan pengalaman kami, dan menerangkan tentang produk yang berkaitan dengan keperluan keselamatan sahaja. Data tidak menyatakan ciri produk (spesifikasi produk). Data dalam risalah data keselamatan ini juga tidak menyatakan apa-apa ciri khusus atau kesesuaian produk yang dipersetujui untuk apa-apa tujuan tertentu. Penerima produk bertanggungjawab untuk memastikan bahawa apa-apa hak pemilikan serta undang-undang dan perundangan sedia ada dipatuhi.

1. Identification of the chemical and of the supplier

Cabrio® Duo

Use: crop protection product, fungicide

Company:

BASF (Malaysia) Sdn Bhd
Lot 19.02 Level 19, 1 Powerhouse
No 1 Persiaran Bandar Utama
47800 Petaling Jaya
Selangor D.E, MALAYSIA
Telephone: +60 3 7612 1888
Telefax number: +60 3 7612 1777

Emergency information:

National emergency number:
+603 7612 1999
International emergency number:
Telephone: +49 180 2273-112

2. Hazard identification

Classification of the substance and mixture:

Acute Tox. 4 (oral)
Skin Corr./Irrit. 2
STOT RE (Skeletal muscle) 2
Aquatic Acute 1
Aquatic Chronic 1

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements and precautionary statement:

Pictogram:



Signal Word:
Warning

Hazard Statement:

BASF Helaian Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 19.04.2023

Versi (Version): 6.0

Produk (Product): **Cabrio® Duo**

(30661244/SDS_CPA_MY/MS)

Tarikh cetakan (Date of print): 13.10.2023

H315	Causes skin irritation.
H302	Harmful if swallowed.
H373	May cause damage to organs (Skeletal muscle) through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P280	Wear protective gloves.
P260	Do not breathe dust.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P314	Get medical advice/attention if you feel unwell.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P330	Rinse mouth.
P391	Collect spillage.
P332 + P313	If skin irritation occurs: Get medical attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.
------	---

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

May produce an allergic reaction. Contains: metiram

3. Composition/information on ingredients

Chemical nature

crop protection product, fungicide, water dispersible granules

Hazardous ingredients

metiram

BASF Helaian Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 19.04.2023

Versi (Version): 6.0

Produk (Product): **Cabrio® Duo**

(30661244/SDS_CPA_MY/MS)

Tarikh cetakan (Date of print): 13.10.2023

Content (W/W): 55 %
CAS Number: 9006-42-2

Skin Sens. 1
STOT RE (Skeletal muscle) 2
Aquatic Acute 1
Aquatic Chronic 1

Pyraclostrobin

Content (W/W): 5 %
CAS Number: 175013-18-0

Acute Tox. 3 (Inhalation - mist)
Skin Corr./Irrit. 2
STOT SE 3 (irr. to respiratory syst.)
Aquatic Acute 1
Aquatic Chronic 1
M-factor acute: 100
M-factor chronic: 100

Sodium diisobutylphthalenesulphonate

Content (W/W): < 5 %
CAS Number: 27213-90-7

Acute Tox. 4 (Inhalation - dust)
Acute Tox. 4 (oral)
Eye Dam./Irrit. 1
STOT SE 3 (irr. to respiratory syst.)
Aquatic Chronic 3

Silica gel, precipitated, crystalline free

Content (W/W): < 10 %
CAS Number: 112926-00-8

sodium sulphate

Content (W/W): < 5 %
CAS Number: 7757-82-6

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

BASF Helaian Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 19.04.2023

Versi (Version): 6.0

Produk (Product): **Cabrio® Duo**

(30661244/SDS_CPA_MY/MS)

Tarikh cetakan (Date of print): 13.10.2023

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Note to physician:

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:
dry powder, foam, water spray

Unsuitable extinguishing media for safety reasons:
carbon dioxide

Specific hazards:

carbon monoxide, carbon dioxide, hydrogen chloride, nitrogen oxides, sulfur oxides, halogenated compounds, metal compounds, silica compounds

The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Avoid dust formation. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Methods for cleaning up or taking up:

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Sweep/shovel up.

Avoid raising dust. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Avoid dust formation. Dust can form an explosive mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect against moisture. Protect from direct sunlight.

Storage stability:

Storage duration: 24 Months

Protect from temperatures above: 30 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure controls and personal protection

Components with occupational exposure limits

Silica gel, precipitated, crystalline free, 112926-00-8;

TWA value 10 mg/m³ (OEL (MY))

TWA value 3 mg/m³ (ACGIHTLV), Respirable particles

TWA value 10 mg/m³ (ACGIHTLV), Inhalable particles

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Particle filter with high efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P3 or FFP3).

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	solid	
Colour:	brown	
Odour:	aromatic	
Odour threshold:	Not determined due to potential health hazard by inhalation.	
pH value:	approx. 5 - 7 (CIPAC standard water D, 1 %(m), 20 °C) (as suspension)	
onset of melting:	> 120 °C	
Boiling point:	The product has not been tested.	
Flash point:	not applicable	
Evaporation rate:	not applicable	
Flammability (solid/gas):	not highly flammable	(Directive 92/69/EEC, A.10)
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Thermal decomposition:	150 °C , 150 kJ/kg	(DSC (OECD 113))
Self ignition:	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1. Temperature: approx. 199 °C	(Method: Directive 92/69/EEC, A.16)

BASF Helaian Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 19.04.2023

Versi (Version): 6.0

Produk (Product): **Cabrio® Duo**

(30661244/SDS_CPA_MY/MS)

Tarikh cetakan (Date of print): 13.10.2023

Self heating ability:	It is not a substance capable of spontaneous heating according to UN transport regulations class 4.2.	
Explosion hazard:	not explosive	(Directive 92/69/EEC, A.14)
Fire promoting properties:	not fire-propagating	(Directive 92/69/EEC, A.17)
Vapour pressure:	not applicable	
Density:	approx. 1.67 g/cm ³ (20 °C)	(Directive 92/69/EEC, A.3)
Relative vapour density (air):	not applicable	
Solubility in water:	dispersible	
Partitioning coefficient n-octanol/water (log Pow):	not applicable	
Information on: metiram		
Partitioning coefficient n-octanol/water (log Pow):	0.33	
	(pH value: 7)	
	1.9	
	(pH value: 5)	
	-0.37	
	(pH value: 9)	

Viscosity, dynamic:	not applicable, the product is a solid	

10. Stability and Reactivity

Conditions to avoid:
See SDS section 7 - Handling and storage.

Thermal decomposition: 150 °C, 150 kJ/kg (DSC (OECD 113))

Thermal decomposition: Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

Substances to avoid:
strong acids, strong bases, strong oxidizing agents

Hazardous reactions:
No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

Reactivity:
No hazardous reactions if stored and handled as prescribed/indicated.

BASF Helaian Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 19.04.2023

Produk (Product): **Cabrio® Duo**

Versi (Version): 6.0

(30661244/SDS_CPA_MY/MS)

Tarikh cetakan (Date of print): 13.10.2023

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity:

Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Experimental/calculated data:

LD50 rat (oral): > 500 - < 2,000 mg/kg (OECD Guideline 423)

LC50 rat (by inhalation): > 5.6 mg/l 4 h (OECD Guideline 403)

Tested as dust aerosol.

LD50 rat (dermal): > 2,000 mg/kg (OECD Guideline 402)

No mortality was observed.

Irritation

Assessment of irritating effects:

Skin contact causes irritation. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation rabbit: Irritant. (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

modified Buehler test guinea pig: Non-sensitizing. (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity**Assessment of teratogenicity:**

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure):**Assessment of STOT single:**

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)**Assessment of repeated dose toxicity:**

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: metiram**Assessment of repeated dose toxicity:**

Repeated oral exposure may affect certain organs.

Information on: Pyraclostrobin**Assessment of repeated dose toxicity:**

After repeated exposure the prominent effect is local irritation. The substance may cause damage to the olfactory epithelium after repeated inhalation.

Information on: Silica gel, precipitated, crystalline free**Assessment of repeated dose toxicity:**

The substance may cause damage to the lung after repeated inhalation of high doses.

Aspiration hazard

No aspiration hazard expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

Toxicity to fish:

LC50 (96 h) 0.149 mg/l, *Oncorhynchus mykiss* (OECD Guideline 203, static)

Aquatic invertebrates:

EC50 (48 h) 0.18 mg/l, *Daphnia* sp.

Aquatic plants:

EC50 (72 h) 0.25 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201, static)

EC10 (72 h) 0.08 mg/l (growth rate), *Pseudokirchneriella subcapitata* (static)

Mobility

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: metiram

Assessment transport between environmental compartments:

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: Pyraclostrobin

Assessment transport between environmental compartments:

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: metiram

Assessment biodegradation and elimination (H₂O):

According to OECD criteria the product is not readily biodegradable but inherently biodegradable.

Information on: Pyraclostrobin

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

Bioaccumulation potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

BASF Helaian Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 19.04.2023

Produk (Product): **Cabrio® Duo**

Versi (Version): 6.0

(30661244/SDS_CPA_MY/MS)

Tarikh cetakan (Date of print): 13.10.2023

Information on: metiram

Bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Information on: Pyraclostrobin

Bioaccumulation potential:

Bioconcentration factor: 379 - 507, Oncorhynchus mykiss (OECD-Guideline 305)

Accumulation in organisms is not to be expected.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Information

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transportation Information**Domestic transport:**

Hazard class: 9

Packing group: III

ID number: UN 3077

Hazard label: 9, EHS

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(contains METIRAM, PYRACLOSTROBIN)**Further information**

Hazchem Code:2Z

IERG Number:47

Sea transport

IMDG

Hazard class: 9

Packing group: III

ID number: UN 3077

Hazard label: 9, EHS

Marine pollutant: YES

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(contains METIRAM, PYRACLOSTROBIN)

BASF Helaian Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 19.04.2023

Versi (Version): 6.0

Produk (Product): **Cabrio® Duo**

(30661244/SDS_CPA_MY/MS)

Tarikh cetakan (Date of print): 13.10.2023

Air transport

IATA/ICAO

Hazard class:	9
Packing group:	III
ID number:	UN 3077
Hazard label:	9, EHSM
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains METIRAM, PYRACLOSTROBIN)

Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 kg or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2:10.2.7; IATA: A197; TDS: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013
OSHA 1994 and relevant regulations
Environmental Quality Act, 1974

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

Other regulations

To avoid risks to man and the environment, comply with the instructions for use.

16. Other Information

Date of Preparation / Date of Revision: 19.04.2023

Information Source and References:

This SDS is prepared using data and information saved in our internal IT-based system and supplied by our company's service providers.

Key Abbreviations:

ATE - Acute Toxicity Estimates

BASF Helaian Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 19.04.2023

Versi (Version): 6.0

Produk (Product): **Cabrio® Duo**

(30661244/SDS_CPA_MY/MS)

Tarikh cetakan (Date of print): 13.10.2023

GHS - Globally Harmonized System
 IATA / ICAO - International Air Transport Association / International Civil Aviation Organization
 IBC - Intermediate Bulk Container
 IMDG - International Maritime Dangerous Goods
 LC - Lethal Concentration
 LD - Lethal Dose
 OECD - Organisation for Economic Co-operation and Development
 OEL - Occupational Exposure Limit
 OSHA - Occupational Safety and Health Act
 STOT - Specific Target Organ Toxicity

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Unst. Expl.	Unstable explosives
Expl. 1.1	Explosives division 1.1
Expl. 1.2	Explosives division 1.2
Expl. 1.3	Explosives division 1.3
Expl. 1.4	Explosives division 1.4
Expl. 1.5	Explosives division 1.5
Expl. 1.6	Explosives division 1.6
Flam. Gas 1	Flammable gases category 1
Flam. Gas 2	Flammable gases category 2
Flam. Aerosol 1	Flammable aerosols category 1
Flam. Aerosol 2	Flammable aerosols category 2
Flam. Liq. 1	Flammable liquids category 1
Flam. Liq. 2	Flammable liquids category 2
Flam. Liq. 3	Flammable liquids category 3
Flam. Sol. 1	Flammable solids category 1
Flam. Sol. 2	Flammable solids category 2
Ox. Gas 1	Oxidizing gases category 1
Ox. Liq. 1	Oxidizing liquids category 1
Ox. Liq. 2	Oxidizing liquids category 2
Ox. Liq. 3	Oxidizing liquids category 3
Ox. Sol. 1	Oxidizing solids category 1
Ox. Sol. 2	Oxidizing solids category 2
Ox. Sol. 3	Oxidizing solids category 3
Press. Gas	Gases under pressure
Self-react. A	Self-reactive chemicals type A
Self-react. B	Self-reactive chemicals type B
Self-react. CD	Self-reactive chemicals type C and D
Self-react. EF	Self-reactive chemicals type E and F
Self-react. G	Self-reactive chemicals type G
Pyr. Liq. 1	Pyrophoric liquids category 1
Pyr. Sol. 1	Pyrophoric solids category 1
Self-heat. 1	Self-heating chemicals category 1
Self-heat. 2	Self-heating chemicals category 2
Water-react. 1	Chemicals which, if in contact with water, emits flammable gases category 1
Water-react. 2	Chemicals which, if in contact with water, emits flammable gases category 2
Water-react. 3	Chemicals which, if in contact with water, emits flammable gases category 3
Org. Perox. A	Organic peroxides type A
Org. Perox. B	Organic peroxides type B

Org. Perox. CD	Organic peroxides type C and D
Org. Perox. EF	Organic peroxides type E and F
Org. Perox. G	Organic peroxides type G
Met. Corr. 1	Corrosive to metals category 1
Acute Tox. 1	Acute toxicity category 1
Acute Tox. 2	Acute toxicity category 2
Acute Tox. 3	Acute toxicity category 3
Acute Tox. 4	Acute toxicity category 4
Skin Corr. 1A	Skin corrosion or irritation category 1A
Skin Corr. 1B	Skin corrosion or irritation category 1B
Skin Corr. 1C	Skin corrosion or irritation category 1C
Skin Irrit. 2	Skin corrosion or irritation category 2
Eye Dam. 1	Serious eye damage or eye irritation category 1
Eye Irrit. 2	Serious eye damage or eye irritation category 2
Resp. Sens. 1	Respiratory sensitization category 1
Skin Sens. 1	Skin sensitization category 1
Muta. 1A	Germ cell mutagenicity category 1A
Muta. 1B	Germ cell mutagenicity category 1B
Muta. 2	Germ cell mutagenicity category 2
Carc. 1A	Carcinogenicity category 1A
Carc. 1B	Carcinogenicity category 1B
Carc. 2	Carcinogenicity category 2
Repr. 1A	Reproductive toxicity category 1A
Repr. 1B	Reproductive toxicity category 1B
Repr. 2	Reproductive toxicity category 2
Lact.	Effect on or via lactation
STOT SE 1	Specific target organ toxicity – single exposure category 1
STOT SE 2	Specific target organ toxicity – single exposure category 2
STOT SE 3	Specific target organ toxicity – single exposure category 3
STOT RE 1	Specific target organ toxicity – repeated exposure category 1
STOT RE 2	Specific target organ toxicity – repeated exposure category 2
Asp. Haz.	Aspiration hazard category 1
Aquatic Acute 1	Hazardous to the aquatic environment – acute hazard category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – chronic hazard category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – chronic hazard category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – chronic hazard category 3
Aquatic Chronic 4	Hazardous to the aquatic environment – chronic hazard category 4
Ozone	Hazardous to the ozone layer category 1

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.